



PSB Singapore

# CERTIFICATE OF CONFORMITY

No. CLS2 091257 0003 Rev. 00

Initial No. -

**Certificate Holder:** GREENLAM ASIA PACIFIC PTE.LTD.  
11 Sungei Kadut Crescent  
Singapore 728683  
SINGAPORE

UEN - 200503703Z

**Product:** Finishing Materials For Wall/Ceiling

**Brand Name:** Greenlam

**Model(s):** Greenlam High Pressure Laminates

**Product Details:** Rating: Class 0  
Thickness: 0.8mm  
Area Density: 1.3kg/m<sup>2</sup>  
Tested on the decorative paper (white) face

**Standard(s):** BS 476-6:1989/A1:2009  
BS 476-7:1997

**Country of Origin:** India

**Test Report(s):** 7191320364-MEC23/1-YWA\_CR1 & 7191320364-MEC23/2-YWA\_CR1

**Valid until:** 2029-03-20

Page 1 of 1

**Issued on:** 2024-03-21

Vice-President (Certification Department)  
TÜV SÜD PSB



This Certificate is the property of TÜV SÜD PSB Pte Ltd. Reports listed in this certificate is an integral part of the certificate and should be read in conjunction with it. The use of this Certificate is subjected to TÜV SÜD Group Testing and Certification Regulations; TÜV SÜD PSB Pte Ltd (PSB) General Terms and Conditions of Business and PSB Product Listing Scheme (PLS) Application Fact Sheet. The manufacturer is solely responsible for compliance of any product that has the same designation as the product type-tested. Persons relying on this Certificate should verify its validity by checking the e-directory: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert). For more information on TÜV SÜD PSB Pte Ltd product certification: [www.tuvsud.com/sg](http://www.tuvsud.com/sg)